

Brand: Hurricane*
Engine: Fiat UNO/PUNTO 1.6 16V
Part Type: Connecting Rods
Center to Center Length: 128.5mm/5.059"
Big End Bore Diameter: 48.60mm/1.913"
Big End Width: 25.4mm/1.000"
Small End Bore Diameter: 22.00mm /0.866"
Small End Width: 21.95mm/0.864"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 3/8"
Approximate Connecting Rod Weight: 520g/piece
Advertised Horsepower Rating: 600hp
Quantity: Sold as 4 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Connecting Rods 128.5mm for Fiat Punto GT 1.4 1.6L Description

Hurricane Fiat punto connecting rods are machined from 1 piece 4340 steel forgings for superior strength, H-beam 1.6 128.5mm connecting rods is designed to fits 600 horsepower engines.

Fiat Punto GT 1.4 1.6 Turbo Con Rod 128.5mm Technical Features:

Magnaflux Inspection guarantees the consistency of the forged material meets our high quality standard

Multi Stage Heat Treatment for maximum strength, dimensional stability, and fatigue life

CNC machining for superior tolerances

Finite Element Analysis FEA Computer generated stress analysis of con rods.

Bend and twist is tightly controlled.

Optimal balancing for weight matched sets \pm 1gram.

Shot Peening for improved fatigue life.



Note: This is the shot blasting machine.

4340 forged Fiat connecting rods before we produced includes:


Fiat Punto 1.4L T-Jet 129MM H beam conrods

Fiat 118MM H beam conrods

FAQ

A: May I put our brand on Rods?

B: Yes, of course. All rods could be laser engraved Logo like below. If you need logo printing service , please kindly [contact our sales team](#) for more information



Fiat Puntos Race Car



Note: Picture from Pinterest.