

Brand: Hurricane
Engine: Chevy 7.4L/454 6.5L/396 7.0L/427 6.0L/366 8.1L/496
Part Type: Connecting Rods
Center to Center Length: 180.34mm/7.100"
Big End Bore Diameter: 59.047mm/2.325"
Big End Width: 25.17mm/0.991"
Small End Bore Diameter: 25.146mm /0.990"
Small End Width: 28.7mm/1.130"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 7/16"
Quantity :8pcs/set
Approximate Connecting Rod Weight: 740g/piece
Advertised Horsepower Rating: 1000hp
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1gram
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Forged H-beam 7.100 connecting rods for Chevy/GM

bbc Description

These H-beam connecting rods are the strongest Hurricane connecting rods available. And Hurricane H-beam connecting rods are perfect for supercharged and nitrous applications. These rods incorporate a special doweled cap for specific cap-to-rod alignment and are profiled with extra clearance for stroker applications. Now let us share some rods which are producing:



Note: drill big end bore and small end bore



Note: Cut cap, make cap leave from the whole rods



Note: Drill bolt hole before machine bolt hole with thread



Note: seal the bag with oil, and keep balance weight within 2g into a set

Here! [All hurricane Chevy series Chrome Moly 4340 Connecting Rods](#)