Brand: Hurricane
Engine: VW VR6
Part Type: Connecting Rods
Center to Center Length: 164mm/6.457"
Big End Bore Diameter: 56.80mm/2.236"
Big End Width: 19.88mm/0.783"
Small End Bore Diameter: 20.01mm /0.788"
Small End Width: 19.90mm/0.783"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 3/8", 5/16"
Quantity :6pcs/set
Approximate Connecting Rod Weight: 590,598g/piece
Advertised Horsepower Rating: 1000hp
Material: Forged 4340 steel
Connecting Rod Finish: **Shot-peened, Polished**
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

ChroMoly Connecting Rods for VW VR6 Descripition

These standard size H beam connecting Rod for VW VR6 engine , each rods are machined heat treated to HRC 34-38 ,polished and shot peened for a higher fatigue strength, magnafluxed to guarantee quality, pin ends bushed for a fully floating pin , quality dowel sleeves fitted fully to insure accurate re-assembling.

Hurricane H-beam steel connecting rods 164mm (6 pcs) will fits for VW Golf / Jetta - 2.8 2.9 3.2L R32 VR6 engines. except H beam design, we also offer I beam and X beam design for this model.

1. *VW 2.8L 2.9L 3.2L R32 Golf MK3 VR6 164X20 I beam Forged Connecting Rods*
2. *Volkswagen VR6 X-beam 4340 steel connecting rods*

These H-Beam style forged rods are available with rifle drilled design which can increases wrist pin longevity by providing additional lubrication.If you like this option on this rod ,please feel free contact us for your demands .