

Brand: Hurricane  
Engine: Honda / Acura RSX 2.0 VTEC K20A2/K20A  
Part Type: Connecting Rods  
Center to Center Length: 138.98mm/5.472"  
Big End Bore Diameter: 51mm/2.008"  
Big End Width: 19.8mm/0.7795"  
Small End Bore Diameter: 22mm /0.8661"  
Small End Width: 19.8mm/0.7795"  
Beam Style: I-beam  
Connecting Rod Bolt Diameter: 3/8"  
Approximate Connecting Rod Weight: 600g/piece  
Advertised Horsepower Rating: 900hp  
Quantity: Sold as 4 pieces /set  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

Hurricane finished I-beam race rods fits HONDA / Acura RSX 2.0 VTEC K20A2/K20A engine, made from 1-piece 4340 forging (A chrome moly alloy with high tensile and compressive strength) to ensure maximum strength and durability.



**Note: forging 4340 steel, heat treatment: HRC34-38**

Also this I beam rods can handle high rpm tension forces well.



**Note: Various I-beam that Hurricane provided and machined before, more design on beam, please kindly explore**

[Hurricane Connecting Rod Features - Various Beam Designs](#)

If you prefer H beam connecting rod design on this engine application, [please leave message to](#) our skilled staffs.

## FAQ

A: What package is available?

B: Package: Step 1: anti-tarnish paper and bag

Step 2: Foam internal

Step 3: White Box

Step 4: Carton

Step 5: Seal and shipp by air

