

Brand: Hurricane  
Engine: Honda D16Z6  
Part Type: Connecting Rods  
Center to Center Length: 137.007mm/5.394"  
Big End Bore Diameter: 48.006mm/1.890"  
Big End Width: 22.65mm/0.892"  
Small End Bore Diameter: 19.015mm /0.749"  
Small End Width: 18.18mm/0.716"  
Beam Style: H-beam  
Connecting Rod Bolt Diameter: 3/8"  
Approximate Connecting Rod Weight: ~g/piece  
Advertised Horsepower Rating: 750hp  
Quantity: Sold as 4 pieces /set  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

### **Forged Connecting Rods for Honda Civic CRX D16 D16A D16Y7 D16Y8 D16Z6 ZC Description**

Hurricane Honda D16Z6 connecting rods H-beam are forged from forged 4340 steel for superior strength. ARP bolts and alignment sleeves are used for durability and precise cap location. Sizing is performed on the unique Sunnen Krossgrinding system for a perfect housing bore. These are the perfect choice for engines up to 750 hp. the clean, windage-reducing configuration combined with the strength, consistent high quality and excellent finish has proven to be extremely popular with racers in all venues. The result of our efforts can be seen in many years of repeat satisfied customers.



Forged Connecting Rods for Honda Civic CRX D16 D16A D16Y7 D16Y8 D16Z6 ZC are machined from ONE-Piece Forging, after Finishing machining surface and beam part, the Honda D16Z6/D16Y7 1.6Ltr 16V connecting rods will be polished and shot peened for improved fatigue life.

Forged Connecting Rods Set Acura Honda Civic D16A6 D16Y7 D16Y8 D16Z6 Fitting info:

Make: Honda / Acura

Vehicle : Civic 92-95 EG, Civic Non-VTEC 96-00 EK, Civic 87-91 EF, Del Sol Si 93-95 EH6, Del Sol S/Si 96-97 EH6

Engine: All D16 Engines, like D16A6, D16Y7, D16Y8, D16Z6

**Honda Civic & CRX SOHC D16 D16A6 D16Z6 performance conrods Package**



Honda Civic & CRX SOHC D16 D16A6 D16Z6 performance conrods are weight machined to +/- 1g per set, packaged in white box. if shipping by air, we use carton and if shipping by sea, we use iron-box.

More Honda series H-beam connecting rods includes:

[HONDA F22/H23](#)

[HONDA Prelude H22 VTEC 2.2L](#)

[HONDA / ACURA D17A Civic](#)

[Honda B18](#)

[HONDA / ACURA B18C GSR](#)

[Honda D16A](#)

[Honda K20A3](#)

**Honda D16 Engine Picture**

