


[Nissan](#) TB48 Connecting Rods Main Sizes

Brand: Hurricane	
Center to Center Length: 163.47mm/6.436"	
Big End Bore Diameter: 59.99mm/2.362"	
Big End Width: 32.76mm/1.290"	
Small End Bore Diameter: 23.01mm /0.906"	
Small End Width : 26.04mm/1.025"	
Beam Style: H-beam	

Nissan TB48 Connecting Rods Features

Connecting Rod Bolt Diameter	7/16"
Approximate Connecting Rod Weight	xxx
Advertised Horsepower Rating	900hp
Quantity	Sold as 6 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

[Nissan](#) TB48 Connecting Rods Description

- 1.H-Beam style connecting rod to provide high horsepower for Nissan TB48 racing applications .
- 2.These Nissan TB48 connecting rods are engineered from [high tensile forged 4340 steel forgings](#) , and heat treated with 34-38HRC for improved strength.



3. **Fully polished and shot peened** for increased fatigue life to handle extra stress of high-combustion engines .



4.All big end bore and small end bore honed to meet high quality standard .

5.All these TB48 H-beam rods **small ends** are fitted with highly durable premium bronze bushings for floating pin and big ends located high quality dowel sleeves for perfect fit and accurate re-assembling .

6.Combo handle to 900HP with high RPM .

7.Dimensionally and magnaflux inspected to guarantee superior reliability

Hurricane Connecting Rods Packing Pictures



Custom packing is acceptable, please feel free [email](#) us to learn more details if you have any interest .