


Brand: Hurricane  
Engine: Nissan 2.0 SR20DE, SR20DET  
Part Type: Connecting Rods  
Center to Center Length: 136.30mm/5.366"  
Big End Bore Diameter: 51.00mm/2.008"  
Big End Width: 22.80mm/0.898"  
Small End Bore Diameter: 22.00mm /0.866"  
Small End Width: 22.80mm/0.898"  
Beam Style: H-beam  
Connecting Rod Bolt Diameter: 3/8"  
Approximate Connecting Rod Weight: 568g/piece  
Advertised Horsepower Rating: 550hp  
Quantity: Sold as 4 pieces /set  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

## Forged H-Beam Connecting Rods for Nissan SR20DET Description

The connecting rod is the vital link between the piston and power. When engine output is increased, the demands placed on the connecting rod increase as well. To ensure engine reliability in all conditions, original OEM connecting rods should be replaced with heavy duty specification parts. Hurricane Speed And Performance is a performance connecting rods producer in china for over 15 years. Hurricane Forged H-Beam Connecting Rods for Nissan SR20DET are manufactured from high strength 4340 (EN24) steel and machined to exacting tolerances.

Hurricane finished SR20 Connecting Rods are designed to reach at least 550 horsepower, every piece of our connecting rods are cnc machined , tested and quality guaranteed. If you are looking for a reliable connecting rods manufacturer, With Whole CNC production line, Professional Engineer team and responsible easy communicate sales team, Hurricane will be your best choice.



Note: This is one of the progress called Drill oil hole.

Forged 4340 con rod for Nissan SR20 engine are balance weighted in +/- 1g per set. Except H beam, Hurricane also produced I beam SR20 connecting rods as well. please check I beam details by click:

[Nissan SR20DET Connecting Rods 5.366" C/C Length](#)

If you want to customised SR20 connecting rods to fits your engine or market needs. Please feel free to [contact one of our skilled staff](#) to talk more details. All connecting rods designs, appearance, dimensions and logo can all be customised.



Note: Hurricane performance H beam and I beam connecting rods fits Nissan 180SX & S13 Silvia, S14 200SX & Silvia and S15 Silvia with SR20DET engine.

NISSAN ENGINE PICTURE SHARE

