

Brand: Hurricane*
Engine: Toyota 3TC
Part Type: Connecting Rods
Center to Center Length: 122.81mm/4.835"
Big End Bore Diameter: 51mm/2.008"
Big End Width: 26.75mm/1.053"
Small End Bore Diameter: 22mm /0.866"
Small End Width: 26.75mm/1.053"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 3/8"
Approximate Connecting Rod Weight: ~g/piece
Advertised Horsepower Rating: 550hp
Quantity: Sold as 4 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Chrome-Moly Connecting Rods for Toyota 2TC 3TC

As a connecting rod factory, all rods made from high quality forgings, and 100% CNC machined, then you could use directly.

There is a article about how to machine rods at Hurricane factory, if you are interested, please kindly explore: "[Hurricane High Performance connecting rods - Process of machining rods](#)".

Forged 4340 steel H-beam connecting rod engineered for toyota 3TC engine , these rods produced from an ultra high-strength alloy forgings and rated to 500+ horsepower. Unique H-beam design is substantially stronger and lighter than OEM conrods, helping your engine to rotate quicker and hold up to the punishing demands of high boost applications. Includes high-strength silicon-bronze wrist pin bushing, [race spec fasteners](#) sold separately.

Hurricane factory and workshop picture



3TC connecting rods can be designed and made to all kinds of beam shape , please check with our customer service online or email to marketing@hurricane-rod.com.cn .We would like to offer help for you .



Hurricane supply standard sizes conrods, custom rod can be made and provided for you too . You may also view the [The Rod FAQ](#) and [Custom Rod Info](#) pages to learn more details .