

Brand: Hurricane  
Engine: BMW M20  
Part Type: Connecting Rods  
Center to Center Length: 140mm/5.512"  
End Bore Diameter: 48mm/1.890"  
Big End Width: 21.87mm/0.861"  
Small End Bore Diameter: 22mm /0.866"  
Small End Width: 21.87mm/0.861"  
Beam Style: H-beam  
Connecting Rod Bolt Diameter: 3/8"  
Approximate Connecting Rod Weight: 520g/piece  
Advertised Horsepower Rating: 900hp  
Quantity: Sold as 6 pieces /set  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

Those Steel connecting rod produced in our factory on advanced CNC machinery, fits BMW M20 engines. they are fully machined, heat treated, stress relieved, polished and shot peened. H-beam rods are often recommended for high horsepower or boosted engines, and the raised cap can help to reduce more stress and make the rods become more stronger .



BMW M20 140mm H-beam Rods Packing Picture for reference as below , these rods will be packaged well by oil and rust preventive paper to protect the rods well during international transportation .



Hurricane also supply BMW M20 H-beam rods with 130mm and 135mm center to center length , you can

view in [here](#), for more **[BMW Rods](#)** which Hurricane produced before , you can view them in [there](#), shop now!