

Brand: Hurricane
Engine: Chevy GM 305/350/400
Part Type: Connecting Rods
Center to Center Length: 155.58mm/6.125"
Big End Bore Diameter: 56.52mm/2.225"
Big End Width: 23.88mm/0.940"
Small End Bore Diameter: 23.56mm /0.928"
Small End Width: 26.95mm/1.061"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 7/16"
Approximate Connecting Rod Weight: 570g/piece
Advertised Horsepower Rating: 1000hp
Quantity: Sold as 8 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Hurricane rods with new features:



Note: More Hurricane connecting rods features, please kindly explore: [NEWS](#)

H Beam CHEVY GM 350 6.125" Conrods Description

Those Chevy GM 350 6.125" connecting rods are manufactured from 4340 forged steel/40CrNiMoA/EN24 material, 100% CNC machined, and each rod is bronze bushed for full floating application.

Hurricane finished SBC 350 H beam connecting rods could offer 1000 horsepower engine. We also offer small block chevy connecting rods at various kinds of center to center length and different beam design choices. For more product, You can visit our [Chevy series Chrome Moly 4340 Connecting Rods page](#).



Note: This is our finished H beam 6.125" connecting rods with [Hurricane Replacement connecting rods bolts 7/16 - 1.600 UHL](#) installed. our connecting rods will also perfectly match ARP bolts.

If you don't see what you are looking for, chances are good we carry it. Contact us on Live Chat or send us an e-mail (marketing@hurricane-rod.com.cn) and we will gladly get back with you within 24 hours!

Corvette LS7 Engine Picture



