


Brand: Hurricane  
Engine: Chevy 396/454/502  
Part type: Connecting Rods  
Center to center length: 165.99mm/6.535"  
Big End bore Diameter: 59.047mm/2.325"  
Big end Width: 25.17mm/0.991 "  
Small end bore Diameter: 25.146mm/0.990"  
Small end width: 28.70mm/1.130"  
Beam style: H-Beam  
Connecting rod bolt Diameter: 7/16 "  
Quantity: 8pcs/Set  
Approximate connecting rod Weight: 800g/Piece  
Advertised horsepower rating: 1000hp  
Material: Forged 4340 Steel  
Connecting rod finish: Shot-peened, polished  
Pin: Bronze Wrist pine Bushings  
Wrist pin Style: floating  
Cape Town retention style: Cap Screw  
Weight matched set: Yes, balanced +/- 1 g  
Magnafluxed: Yes  
Private Label: Yes, available  
Custom design: Yes, accept

These H-Beam style rods engineered for Big Block Chevy performance engines, manufactured from 4340 steel forgings. Each rod is heat treated, shot peened and stress relieved , 100% magnafluxed ,designed for marine engines up to 1000 horsepower, fully CNC machined for high strength, weight matched sets +/- 1gram.



Hurricane [Connecting Rods Manufacturing Process](#)



Hurricane produce all kinds of connecting rods for various high performance racing applications , if you can not find the rods which you are looking for on our web, please send inquiry to us online or [via email](#) .