Brand: Hurricane

Engine: Chevy GM 305/350/400 Part Type: Connecting Rods

Center to Center Length: 141.35mm/5.565" Big End Bore Diameter: 56.52mm/2.225"

Big End Width: 23.90mm/0.941"

Small End Bore Diameter: 23.55mm /0.927"

Small End Width: 26.95mm/1.061"

Beam Style: H-beam

Connecting Rod Bolt Diameter: 7/16"

Quantity:8pcs/set

Approximate Connecting Rod Weight: 580g/piece

Advertised Horsepower Rating: 1000hp

Material: Forged 4340 steel

Connecting Rod Finish: Shot-peened, Polished

Pin: Bronze wrist pin bushings

Wrist Pin Style: Floating

Cap Retention Style: Cap screw

Weight Matched Set: Yes ,Balanced +/- 1gram

Magnafluxed: Yes

Private Label: Yes ,available Custom design: Yes, accept

Hurricane GM Chevy H-beam connecting rods are produced from quality 4340 steel, each Chevy rods come in 5.565 inch length are designed and machined for for superior reliability , and magnafluxed and

stress relieved for high strength , it can rate 1000HP for GM Chevy SBC engine .



All these Chevy SB rods are polished and shot-peened, so the surface looks very smooth and beautiful.



FAQ

Q: How do you package the rods ?

A: If the rods shipped by air-

express , they will be packaged by carton ; If shipped by sea , they will be packaged by iron box . A picture for your review as below :



Q: Which express you can provide ?

 $\mathsf{A}:\mathsf{DHL}$, TNT , $\mathsf{UPS},$ $\mathsf{Fedex},$ EMS , CDEK and so on .

For further question , you can view more FAQ in here or contact our staffs directly.