

## Honda F23 Accord 2.0 Conrods Main Sizes

Brand: Hurricane	
Center to Center Length: 141mm/5.551"	
Big End Bore Diameter: 48.01mm/1.890"	
Big End Width: 19.78mm/0.779"	
Small End Bore Diameter: 22.00mm /0.866"	
Small End Width: 19.78mm/0.779"	
Beam Style: I-beam	

## Honda Accord F23 F23A 2.3l Connecting Rods Features

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	XXX
Advertised Horsepower Rating	800hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

## I beam Honda F23 Connecting Rods Description

The I-Beam "Heavy Duty" series Honda F23 F23A1 F23A4 F23A5 F23A7 Accord LX conrods aimed for the High Hp/Boost applications and support 800 Horsepower. Honda Accord F23 F23a 2.3l Connecting Rods are Built from the finest raw materials 4340 high tensile steel with a specially optimized shape for high performance and extreme durability. Honda F23 Accord 2.0 conrods are shot peened to relieve stress from

the material and multi-stage heat treated to increase rigidity. The tight tolerances in the production process, ensure a perfect fitment while optimizing the oil clearances. Bend and twist is tightly controlled.



I beam Honda F23 Connecting Rods feature silicone bronze wrist pin bushes to ensure reliability.

#### **Racing Forged 4340 Conrod for Honda Accord F23 F23A 2.3L fitting info:**

F23A1 engine was used in the 1998-2002 Honda Accord LX, EX, and SE, LEV models, and in the Acura 2.3CL in North America.

F23A4 engine was used in the 1998-2002 Honda Accord ULEV models

F23A5 engine was used in the 1998-2002 Honda Accord DX, the 1998-2002 Honda Accord LXi in New Zealand and the 2002 Honda Accord LX VP (value package) in North America.

F23A7 engine was used in the 1998 Honda Odyssey, the 1998-1999 Isuzu Oasis, and EUDM Honda Shuttle.

F23Z5 engine was used in the Honda Accord Type V (2001-2003). This was only made available for Europe.

Hurricane factory can offer both H beam, X beam and I beam design Honda F23 F23A1 connecting rods for different horsepower requirement. Feel free to confirm stock, price with our [sales team](#).

## Honda Accord Racing



Note: Picture from Wikimedia Commons.