

## H-beam connecting rods for Vauxhall 2.4L Main Sizes

Brand: Hurricane*	
Center to Center Length: 147.62mm/5.812"	
Big End Bore Diameter: 52mm/2.047"	
Big End Width: 26.37mm/1.038"	
Small End Bore Diameter: 21mm /0.827"	
Small End Width: 21mm /0.827"	
Beam Style: H-beam	

## VAUXHALL 2.4L forged Conrods 144mm Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXXg
Advertised Horsepower Rating	550hp
Quantity	Sold as 4 pieces /set
Material	<a href="#">Forged 4340 steel</a>
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

## Vauxhall Carlton 2.4L Rods Description

Hurricane Vauxhall Connecting Rods are 100% X-rayed, sonic tested and magnafluxed, Multi-stage heat treated. Those H beam connecting rods for Vauxhal 2.4L engine are designed for race engine demanding, Horsepower could reach 550HP. For added durability, Vauxhall Carlton 2.4L Rods are fitted with ARP 2000 Series Cap Screw Fasteners. Please check [Hurricane Connecting Rod Bolt Information](#) Page for more fastener information.

Computer Controlled Numeric (CNC) machinery allows us to offer a wider variety of rods in terms of dimensions and beam construction. You can check our factory production line and production progress by click: [How it's made: Connecting rod](#) It's also allow us to add designs as customer request. Here are some designs hurricane offered:

#1, [Hurricane Connecting Rod Shoulder Design](#)



#2, [Hurricane Connecting Rod Features - Various Beam Designs](#)

#3, [Hurricane Connecting Rods Big End Design](#)

#4, [Hurricane Connecting Rods Pin End Design](#)

If you do not find the designs you prefer through our website, please feel free to [leave your requirements here](#), so that our skilled staff will get back to you within 24 hours.

This serial number is a mark with laser with letters or numbers. A way to warranty the user will assembly the same hole side that the rod was machined or balanced. Hurricane can also customised serial number according to your application or needs.

