Brand: Hurricane Engine: Toyota FRS

Part Type: Connecting Rods

Center to Center Length: 129.3mm/5.090" Big End Bore Diameter: 53mm/2.0866"

Big End Width: 21.4mm/0.8425"

Small End Bore Diameter: 22.015mm /0.8667"

Small End Width: 21.4mm/0.8425"

Beam Style: H-beam

Connecting Rod Bolt Diameter: 3/8 "

Approximate Connecting Rod Weight: 490g/piece

Advertised Horsepower Rating: 750hp

Quantity: Sold as 4 pieces /set Material: Forged 4340 steel

Connecting Rod Finish: Shot-peened, Polished

Pin: Bronze wrist pin bushings Wrist Pin Style: Floating

Cap Retention Style: Cap screw

Weight Matched Set: Yes ,Balanced +/- 1g

Magnafluxed: Yes

Private Label: Yes ,available Custom design: Yes, accept

Hurricane finished 4340 H beam Toyota FRS/BRZ connecting rod oil groove on big end, provides additional lubrication and cooling, special design added on big end also provide more strength. Shot penning the surface of the rod can relieve stress while work hardening the outer layer of metal, Micro-polishing and burnishing treatment can make the appearance looks smooth and enhance rods durability. Those rods are highly recommended to your engine!



This is one of our connecting rods production progress: Burring,polishing (remove burrs and make surface smooth) and shot blasting (Small ball hit surface and make them on surface, increase rods strength with Small ball) are all crucial operations in the making of a competition connecting rod. to check our whole production progress, please check News: <u>Hurricane High Performance connecting rods - Process of machining rods</u> Or Youtube Video: https://www.youtube.com/watch?v=Xb6bSVAMHzI



Hurricane Speed And Performance is a performance connecting rods producer, located in Chengdu, China. Fitted with Full CNC equipment and professional staffs, This is a piece of our new finished H beam Toyota FRS/FA20 connecting rods, Please feel free to *contact us* inquire sample or custom your own performance conrods.



Toyota FRS Race Car Picture

