

Brand: Hurricane  
Engine: Toyota Corolla Celica 7AFE 1.8L  
Part Type: Connecting Rods  
Center to Center Length: 132.49mm/5.216"  
Big End Bore Diameter: 51mm/2.008"  
Big End Width: 21.79mm/0.858"  
Small End Bore Diameter: 20mm /0.787"  
Small End Width: 21.79mm/0.858"  
Beam Style: H-beam  
Connecting Rod Bolt Diameter: 3/8"  
Approximate Connecting Rod Weight: ~g/piece  
Advertised Horsepower Rating: 550hp  
Quantity: Sold as 4 pieces /set  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

### **4340 Forged Steel H-Beam Conrods for Toyota Corolla Celica 7AFE 1.8L Descripiton**

Hurricane Toyota Lightweight H-Beam Connecting Rods are polished cheeks, very good strength to weight ratio and high overall quality. Serial Number(A mask with laser letters or numbers) engraved at shoulder to make sure every piece of connecting rod have corresponding caps and warranty the user will assembly the same hole side that the rod was machined or balanced. custom logo engraved on beam with laser (logo printing) service sold separately. If you need further info, please check our [FAQs](#) page or [contact our skilled staffs](#).



These Toyota 132.5mm Connecting Rods are a direct fit conrod for all Toyota Corolla Celica 7AFE 1.8L engines.

### **5.236 performance conrods for toyota 7AFE 1.8L engine Feature:**

- High Tensile 4340 forged steel
- One Piece forging
- Hardness of HRC34-38
- Dowelled caps for precision alignment
- Silicone Bronze bushings for floating pins
- X-RAY & Sonic tested
- Quenching and heat treated
- Shot peened
- 100% Magnafluxed
- Weight Matched Sets +/- 1 gram
- Vacuum degassed to remove impurities.
- Designed for engines exceeding 550 horsepower



This is our Hurricane replacement ARP2000 3/8 1/6 inch connecting rods bolts, sold separately, our connecting rods bolts could reach 210,000PSI. Of course if you prefer to install original ARP2000 rod bolts, our connecting rods will perfectly match ARP2000 bolts as well. For more compared data, please check our news page: [Hurricane Connecting Rod Bolt Information](#)

## **Toyota Celica Race Car**





Note: Picture by JapaneseSportCars