

Brand: Hurricane\*  
Engine: Ford 4.7L/289, 5.0L/302  
Part Type: Connecting Rods  
Center to Center Length: 130.94mm/5.155"  
Big End Bore Diameter: 56.87mm/2.239"  
Big End Width: 21.13mm/0.832"  
Small End Bore Diameter: 23.19mm /0.913"  
Small End Width: 26.95mm/1.061"  
Beam Style: H-beam  
Connecting Rod Bolt Diameter: 7/16"  
Advertised Horsepower Rating: 1000hp  
Quantity: Sold as 8 pieces /set  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

These 5.155" length H-Beam Connecting Rods designed for the Small Block Ford 289 and 302 Engines, Made from high strength **4340 steel** material , 100% forged in **Hurricane** CNC machine center, All rods are Shot peened and mirco polished to reduce the risk of stress fractures and rod failure , to meet high performance **Ford racing applications** needs .

All the Hurricane rods specs tolerance controled in a good standard , more importantly , some tolerance could be adjusted based your expectation , please confirm with our experienced staff if you have special request on that .







Per rod heat treated before threads tapped to protect the threads well , and the genuine ARP bolts are suitable for these rods, you can install the ARP bolts on the rods easily . Hurricane also supply connecting rods bolts , please feel free contact us if you are interested , you also can view some details in here . -

[\*\*Hurricane Connecting Rod Bolt Information\*\*](#)