


## 5.400" 4340 Forged Chromoly H-Beam Connecting Rods Main Sizes

|  |  |
|--|--|
| Brand: Hurricane                         |  <p>Technical drawing of an H-beam connecting rod. The front view (left) shows a large circular big end and a smaller circular small end. The side view (right) shows the H-beam profile. Dimensions are labeled in red: C to C: 137.16mm, PE width: 24.7mm, PE bore: 22mm, BE bore: 53.975mm, and BE width: 22.65mm.</p> |
| Center to Center Length: 137.16mm/5.400" |  |
| Big End Bore Diameter: 53.975mm/2.125"   |  |
| Big End Width: 22.65mm/0.892"            |  |
| Small End Bore Diameter: 22mm /0.866"    |  |
| Small End Width: 24.7mm/0.972"           |  |
| Beam Style: H-beam                       |  |

## Chevy Journals, Balanced, Set of 4, 5.400 H-beam Connecting Rods Features

|                                   |                                   |
|-----------------------------------|-----------------------------------|
| Connecting Rod Bolt Diameter      | 3/8"                              |
| Approximate Connecting Rod Weight | XXXg                              |
| Advertised Horsepower Rating      | 600hp                             |
| Quantity                          | Sold as 4 pieces /set             |
| Material                          | <a href="#">Forged 4340 steel</a> |
| Connecting Rod Finish             | Shot-peened, Polished             |
| Pin                               | Bronze wrist pin bushings         |
| Wrist Pin Style                   | Floating                          |
| Cap Retention Style               | Cap screw                         |
| Weight Matched Set                | Yes ,Balanced +/- 1g              |
| Magnafluxed                       | Yes                               |
| Private Label                     | Yes ,available                    |
| Custom design                     | Yes, accept                       |


# Hurricane volkswagen parts, Forged 4340 steel performance 5.400" rods Description

Hurricane's H-Beam VW Connecting Rods are a must if you are planning on building an all out High Performance Volkswagen Engine! Race proven H-Beam design combines weight savings and high strength thanks to the forged 4340 chromoly construction. Radiused rod caps help reduce that amount of clearancing required on stroker applications and are sleeved to the rod to eliminate cap shifting. Precision machined rods are magnafluxed and sold in matched weight sets of 4. All held together with forged 4340 ARP 3/8" bolts capable of withstanding 220,000 psi tensile load. Hurricane's H-Beam Rods are the perfect match for our stroker crankshafts.

Of course, rods with forged 4340 ARP 5/16" bolts can be machined also.

**With ARP2000 bolt as follows:**

| 5/16   | 3/8  |
|--|--|
| 1) Thread Size:5/16"<br>2) UHL:1.500"<br>3) Thread Length:0.550"<br>4) Grip Length:0.150"<br>5) Head Height:0.348"<br>6) Wrench Size:3/8"<br>7) Collar Dia.:0.526" | 1) Thread Size:5/16"<br>2) UHL:1.500"<br>3) Thread Length:0.550"<br>4) Grip Length:0.100"<br>5) Head Height:0.348"<br>6) Wrench Size:3/8"<br>7) Collar Dia.:0.526" |



Hurricane is manufacturer of high performance automotive engine parts since 2000. Besides standard rods, VW custom conrods in china fatory can be machined and provided directly. All our products are developed and produced in our factory on advanced CNC machinery. Our staff of engineers and skilled craftsmen are dedicated to giving your company the edge in both quality and price. Browse our website or arrange a factory tour by emailing: [marketing@hurricane-rod.com.cn](mailto:marketing@hurricane-rod.com.cn) . We believe the soul of a business is quality.



Related rods: [Hurricane 4340 5.394" H-Beam Connecting Rods, Chevy Journals, 3/8" ARP 2000 Bolts, Balanced, Set of 4](#)