

## Holden 3.8l V6 L67 X-beam Connecting Rods Main Sizes


Brand: Hurricane	
Center to Center Length: 145.85mm/5.472"	
Big End Bore Diameter: 60.3mm/2.374"	
Big End Width: 21.4mm/0.843"	
Small End Bore Diameter: 22mm/0.866"	
Small End Width: 21.4mm /0.843"	
Beam Style: X-beam	

## Holden 3.8l V6 X-beam Connecting Rods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXXg
Advertised Horsepower Rating	900hp
Quantity	Sold as 6 pieces /set
Material	<b>Forged 4340 steel</b>
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

**Additional Description :**

1. Fully finished by CNC machine.
2. Hardness after quenching and tempering is HRC34-38 .
3. Each forging is X-rayed, sonic tested and magnafluxed .
4. Dowel sleeves locate in the rod cap .
5. Shot peened to relieve stress .
6. Suit for Standard ARP 2000 bolts .
7. **Custom design** and oversizes are acceptable .
8. Lasering private label is acceptable .



**X-beam connecting rods on production**



**Finished X-beam connecting rods**



Welcome to [contact us](#) if any further question .