


## Holden 3.8l V6 L67 X-beam Connecting Rods Main Sizes


|  |   |
|--|---|
| Brand: Hurricane                         |  |
| Center to Center Length: 145.85mm/5.472" |   |
| Big End Bore Diameter: 60.3mm/2.374"     |   |
| Big End Width: 21.4mm/0.843"             |   |
| Small End Bore Diameter: 22mm/0.866"     |   |
| Small End Width: 21.4mm /0.843"          |   |
| Beam Style: X-beam                       |   |

## Holden 3.8l V6 X-beam Connecting Rods Features

|                                   |                           |
|-----------------------------------|---------------------------|
| Connecting Rod Bolt Diameter      | 3/8"                      |
| Approximate Connecting Rod Weight | XXXg                      |
| Advertised Horsepower Rating      | 900hp                     |
| Quantity                          | Sold as 6 pieces /set     |
| Material                          | <b>Forged 4340 steel</b>  |
| Connecting Rod Finish             | Shot-peened, Polished     |
| Pin                               | Bronze wrist pin bushings |
| Wrist Pin Style                   | Floating                  |
| Cap Retention Style               | Cap screw                 |
| Weight Matched Set                | Yes ,Balanced +/- 1g      |
| Magnafluxed                       | Yes                       |
| Private Label                     | Yes ,available            |
| Custom design                     | Yes, accept               |

**Additional Description :**

1. Fully finished by CNC machine.
2. Hardness after quenching and tempering is HRC34-38 .
3. Each forging is X-rayed, sonic tested and magnafluxed .
4. Dowel sleeves locate in the rod cap .
5. Shot peened to relieve stress .
6. Suit for Standard ARP 2000 bolts .
7. [Custom design](#) and oversizes are acceptable .
8. Lasering private label is acceptable .



**X-beam connecting rods on production**



**Finished X-beam connecting rods**



Welcome to [contact us](#) if any further question .