

Brand: Hurricane  
Engine: VW Air cooled  
Part Type: Connecting Rods  
Center to Center Length: 137mm/5.394"  
Big End Bore Diameter: 57.805mm/2.276"  
Big End Width: 22.65mm/0.892"  
Small End Bore Diameter: 22mm /0.866"  
Small End Width: 24.7mm/0.972"  
Beam Style: H-beam  
Connecting Rod Bolt Diameter: 3/8 "  
Approximate Connecting Rod Weight: 510g/piece  
Advertised Horsepower Rating: 750hp  
Quantity: Sold as 4 pieces /set  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

For VW journal

Made of 4340 chromoly steel with 3/8" ARP 2000 bolts  
5.394"/137mm standard VW length

Hurricane Speed&Performance is an excellent source for quality replacement and high performance parts for all air-cooled and water-cooled Volkswagen automobiles. We offer parts for Air Cooled VW's like **forged conrods**, **crankshaft** and Aluminum **piston**.



These new vw air cooled Connecting Rods are manufactured from a ONE-PIECE FORGING. The forging process forces the grain into the shape of a connecting rod, resulting in a superior fatigue life. Many aftermarket connecting rods are manufactured from 4340 steel. 4340 specs allow a range of different materials to achieve the desired results. Although it is a more expensive process, these contain a higher content of nickel & chrome, which increases the strength & fatigue life without making the connecting rod brittle.



Hurricane air cooled performance connecting rods can be fitted with copy arp2000 3/8 rod bolts, PSI 211,829, weight: 38g per piece. when install Copy ARP2000 3/8 rod bolts, our bolts torque is 75N\*M, As Proper rod bolt torque is vital to connecting rod life. Hurricane forged air cooled conrods can also be perfectly match with original "ARP" rod bolts.



Red Volkswagen Beetle Car Picture

