


Audi Rods - RS3/TTRS 2.5 TFSI 5cyl Main Sizes

Brand: Hurricane	
Center to Center Length: 144mm/5.670"	
Big End Bore Diameter: 50.6mm/1.992"	
Big End Width: 21.90mm/0.862"	
Small End Bore Diameter: 22.00mm /0.866"	
Small End Width: 24.95mm/0.982"	
Beam Style: H-beam	

Engine build parts - connecting rods for Audi RS3 TTRS

Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	510 gram
Advertised Horsepower Rating	700hp
Quantity	Sold as 5 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

Hurricane steel connecting rods RS3 144MM/22MM

Description

Hurricane steel H-beam connecting rods for TTRS RS3 2.5 20V TFSI engines with high performance enhancement, the steel con-rods are made from 40CrNiMoA/4340/EN24 forgings for your 2.5L 5Cyl engine. The standard con-rods can meet your performance engine. With std H-beam design and low weight of con-rods, extra feature will be used to high stresses and extreme increases in performance.

1. Rifle Drilled

This feature provides better pin oiling and cooling leading to increased longevity of the whole piston-rod set.

2. Groove in Thrust Face


All rods come with grooves in thrust face, feature that allows weight reduction and reduced friction.

3. Radial Groove Sleeve

Silicon aluminum bronze rod sleeves with radial groove for oil tank and best pin oiling.

4. Ribbed Pin End

Ribbed pin end helps to keep pin bore round and avoid PE distortion in high engine speed applications.



In a word, our H-beam connecting rods is the best choice under the safe side. If you have any questions, please feel free to contact us online or by email: marketing@hurricane-rod.com.cn.

Related Products:

1. [Audi 20V S2 S4 RS2 forged 4340 steel H beam connecting rods,155mm rod length](#)
2. [Forged Connecting Rods fits Audi S4 2.7T 30V and 2.8L V6 , Audi 154X21mm](#)

3. [Audi Connecting Rod Set \(Hurricane Speed&Performance\) for Audi A4 A6 VW](#)