

Brand: Hurricane*
Engine: BUICK 3.8L/231
Part Type: Connecting Rods
Center to Center Length: 151.56mm/5.967"
Big End Bore Diameter: 60.3mm/2.374"
Big End Width: 21.46mm/0.845"
Small End Bore Diameter: 23.88mm /0.940"
Small End Width: 23.9mm/0.941"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 3/8"
Approximate Connecting Rod Weight: 600g/piece
Advertised Horsepower Rating: 900hp
Quantity: Sold as 6 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Buick 5.967 inch Performance Conrods Description

[*Hurricane Speed And Performance*](#) factory has over 18 years of experience manufacturer connecting rods for high performance engines, These Buick 5.967" inch performance conrods are designed with 4340 forged steel, heat treated for added tensile strength and are shot peened for improved fatigued life. These H beam forged conrods for Buick V6 231 engine have bronze bushings for added strength. and will be perfectly fits ARP 2000 rod bolts. If you are looking for a high quality H-beam connecting rod for your 231, 3.8L, 4.1L or stage turbo Buick engine, these are excellent connecting rods to consider.



Note: Hurricane Inspection team will check every piece of the H beam connecting rods for Buick v6 engine carefully after shot peened progress.

Forged 4340 steel connecting rod for buick 231 dimensions precision requirements are careful quality controlled. Here are some of the FAQs you may interested:

Q: What is your connecting rod tolerance?

A: Center to center length tolerance: $\pm 0.05\text{mm}$

Big end bore tolerance: $+0.013\text{mm}$

Pin end bore tolerance: $+0.005\text{mm}$

Big end width tolerance: $\pm 0.02\text{mm}$

Pin end width tolerance: $\pm 0.05\text{mm}$

No note tolerance: $\pm 0.15\text{mm}$

Q: What's your rods material and hardness?

A: Material: 4340 forged steel/40CrNiMoA/EN24. Heat Treatment: HRC34-38

Q: Could you provide logo printing(private label) service on connecting rods?

A: Yes, But for Batch order only.

More information, please check our [FAQ page](#).



Except standard rods,
Hurricane factory also offer custom design service, if you have custom needs to fits your engine, please fill in [Hurricane Client Customs Form](#), or email us: Marketing@hurricane-rod.com.cn.

Buick V6 Engine Picture Share



Note: Picture from Mecum Auction, Inc.