

Brand: Hurricane  
Engine: Chevy 5.7L/350 5.4L/327 4.9L/302 5.0L/307 6.6L/400 4.3L/262 5.0L/305 4.4L/267  
Part type: Connecting Rods  
Center to center length: 144.78mm/5.700"  
Big End bore Diameter: 56.507mm/2.225"  
Big end Width: 23.9mm/0.940"  
Small end bore Diameter: 23.561mm/0.927"  
Small end width: 26.96mm/1.061"  
Beam style: H-Beam  
Connecting rod bolt Diameter: 7/16"  
Quantity: 8pcs/Set  
Approximate connecting rod Weight: 565g/Piece  
Advertised horsepower rating: 1000hp  
Material: Forged 4340 Steel  
Connecting rod finish: Shot-peened, polished  
Pin: Bronze Wrist pine Bushings  
Wrist pin Style: floating  
Cape Town retention style: Cap Screw  
Weight matched set: Yes, balanced +/-1 g  
Magnafluxed: Yes  
Private Label: Yes, available  
Custom design: Yes, accept

## Chevy Small Block H-beam Connecting Rod, 5.700" Description

These H-beam connecting rods are the strongest Hurricane connecting rods, they are among our best seller list, [All Chevy series rods are here](#), like [6.250"](#) [6.100"](#) [6.625"](#). These Hurricane H-beam connecting rods are perfect for supercharged and nitrous applications. These rods incorporate a special doweled cap for specific cap-to-rod alignment and are profiled with extra clearance for stroker applications.

### **Now let's visit how we machine these rods**

First, Purchasing forged 4340 steel forgings for these SBC Small Block Chevy Rods



Then, Machining them on CNC machine, shot peening, blasting hone bore



Finally, package them with iron box well, shipping to you by Ocean



If you want, welcome to visit us at any time, and contact us online or email to [marketing@hurricane-rod.com.cn](mailto:marketing@hurricane-rod.com.cn), you will get the best way to arrive here.

By the way, If you have a general question, you could find answer [FAQs](#), or leave an message online.