

Brand: Hurricane
Engine: CHRYSLER 5.9L/360 5.6L/340 Mopar Small Block
Part Type: Connecting Rods
Center to Center Length: 155.52mm/6.123"
Big End Bore Diameter: 53.98mm/2.125"
Big End Width: 23.5mm/0.925"
Small End Bore Diameter: 24.99mm /0.984"
Small End Width: 23.5mm/0.984"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 7/16"
Approximate Connecting Rod Weight: 573g/piece
Advertised Horsepower Rating: 900hp
Quantity: Sold as 8 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept


Hurricane Forged 4340 steel connecting rod H-Beam Rods

Forged and machined from SAE 4340 steel , utilizes ARP 2000 cap screw style bolts with alignment sleeves for precise cap location. Per set packaged with 8 pcs/set , weight matched to $\pm 1g$. Sizing is performed on precision CNC equipment, welcome to visit more details through our [company video](#).



Hurricane produce connecting rods for all kinds of Chrysler applications , such as **[Chrysler Mopar 440](#)** , **[Chrysler 7.0L/426 7.2L/440 Mopar big block RB](#)** , **[Chrysler 5.9L/360 5.6L/340 Mopar Small Block](#)** , **[Chrysler RB 426 440 HEMI](#)** ...If you can not find the ones which you are looking for , please feel free send message to us online or mail to us directly .

Hurricane Connecting Rods Production Process



Hurricane Connecting Rods Packing Picture



shipping by Air



neutral box



Hurricane box



shipping by Sea