

Brand: Hurricane
Engine: Chevy GM 305/350/400
Part type: Connecting Rods
Center to center length: 157.48 mm/6.200 "
Big End bore Diameter: 56.52 mm/2.225 "
Big end Width: 23.90 mm/0.941 "
Small end bore Diameter: 23.561 mm/0.927 "
Small end width: 26.95 mm/1.061 "
Beam style: H-Beam
Connecting rod bolt Diameter: 7/16 "
Quantity: 8pcs/Set
Approximate connecting rod Weight: 665/Piece
Advertised horsepower rating: 1000hp
Material: **Forged 4340 Steel**
Connecting rod finish: Shot-peened, polished
Pin: Bronze Wrist pine Bushings
Wrist pin Style: floating
Cape Town retention style: Cap Screw
Weight matched set: Yes, balanced +/-1 g
Magnafluxed: Yes
Private Label: Yes, available
Custom design: Yes, accept

These H-beam construction aftermarket performance connecting rods , suit for Chevy GM 305/350/400 engine ,manufactured from outstanding strength 4340 steel with 34-38 HRC , full machined by CNC machine , it can handle about 1000HP . Each rod is polished and shot peened , so the appearance looks good , they made with high fatigue strength as well .

Two oil holes drilled in the small end beam cut to provide good lubrication , per rod comes with bronzed bushing for floating piston pins , and high quality dowels installed for perfect fit and accurate re-assembling .



Hurricane also produces I-beam and X-beam connecting rods for different Chevy GM 305/350/400 performance applications , so if you can not find the rods which you are looking for on our websites , please send inquiry online or [via email](#) to us .



Connecting Rods Packing Picture



Please kindly note, Hurricane can offer better appearance rods , you can [click](#) here to learn more .