

Brand: Hurricane
Engine: GM Air Cooled
Part Type: Connecting Rods
Center to Center Length: 137.01mm/5.3941"
Big End Bore Diameter: 53.97mm /2.1248"
Big End Width: 22.65mm/0.8917"
Small End Bore Diameter: 22.005mm/0.8663"
Small End Width: 24.7mm/0.9724"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 3/8 "
Approximate Connecting Rod Weight: 550g/piece
Advertised Horsepower Rating: 1000hp
Quantity: Sold as 8 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Hurricane Chevy Air cooled inversion connecting rods are made from 1-piece chromoly 4340 steel forging to ensure maximum strength and durability. H beam design provides higher compressive strength, Pin end oil holes provides additional lubrication and cooling. If you are looking for a update inversion rods over stock rods for your air cooled stroker engine, they are your good choice.



Note: Hurricane Air cooled conrods are design to Square Shoulder.

Please view our News Page for more choice of shoulder design. [Hurricane Connecting Rod Shoulder Design](#)

Hurricane connecting rod inversion gm are all Micro Polishing and Shot Peening. Those progresses are very important, will relieve stress and improved fatigue life, Also make connecting rods appearance looks smooth and beautiful. You can check this page for more information: [Connecting rods Shot Peening and Mirco-Polishing, Special A-level appearance](#)



If you also want to take air cooled sample for your engine, or have any question for hurricane connecting rods, please feel free to [contact us](#), you will get reply within 24 hours.

Red Chevrolet Classic Car Picture

