

Brand: Hurricane  
Engine: GM Chevy aircooled engine  
Part Type: Connecting Rods  
Center to Center Length: 137.16mm/5.400"  
Big End Bore Diameter: 53.97mm/2.125"  
Big End Width: 22.65mm/0.892"  
Small End Bore Diameter: 22.005mm /0.866"  
Small End Width: 24.70mm/0.972"  
Beam Style: H-beam  
Connecting Rod Bolt Diameter: 3/8"  
Quantity :8pcs/set  
Approximate Connecting Rod Weight: 550g/piece  
Advertised Horsepower Rating: 1000hp  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

These set of 8 pcs 4340 H-beam connecting rods fits for high performance Chevy aircooled engine , H-Beam design help to save weight and provide high strength .

Each rod forged from high quality 4340 steel material , per rod's surface finished by polishing and shot peening to improve fatigue life , fully machined with advanced CNC machine to guarantee enough strength and durability .





We can supply other different length forged connecting rods for GM Chevy aircooled engine, you can click following link to view more details .

Applications	Beam Style	Link
GM Air Cooled	H-beam	<a href="#">Connecting Rods, 5.700", 3/8" Bolts Thread , H-Beam, Chevy Air Cooled Engine ,22.005mm Pin End</a>
GM Air Cooled	H-beam	<a href="#">Inversion rods for GM Chevy air cooled engine, 5.600 rod length</a>
GM Air Cooled	H-beam	<a href="#">Chevy Connecting Rods, H-Beam Style, 5.500in</a>
GM Air Cooled	H-beam	<a href="#">Chevy Air cooled inversion forged 4340 rods with 5.3941 c/c length</a>

These steel rods produced with standrad 3/8" bolts thread , you can install [gunuine APR bolts or copy ARP bolts](#) , please feel free [contact](#) our customer service if you need bolts for these rods .

