


Fiat 128mm Connecting Rod Main Sizes

Brand: Hurricane	
Center to Center Length: 128mm/5.039"	
Big End Bore Diameter: 48.64mm/1.915"	
Big End Width: 25.38mm/0.999"	
Small End Bore Diameter: 22mm /0.866"	
Small End Width: 25.6mm/1.008"	
Beam Style: H-beam	

Fiat H-Beam Connecting Rods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXXg
Advertised Horsepower Rating	550hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

Fiat 4340 forged H-beam connecting rod 128mm Description

Hurricane Fiat 128mm H Beam Connecting rods are precision CNC-machined from the finest 4340 Chrome-moly forgings. Each rod is mirco-polished and then full-coverage shot peened. The rods are end to end balanced in sets within 2gram and then final sized on the big and small ends. Each rod comes with Hurricane Race Specs 3/8 bolts rated at 211,829 psi tensile strength and aluminum-bronze wrist pin bushing. Each set comes complete with (4) rods and (8) rod bolts.

At the picture below, is just one of our conrods progresses, you can check more at this page: [Hurricane High Performance connecting rods - Process of machining rods](#)



Note: Burring, polishing,(remove burrs and make surface smooth) and shot blasting (Small ball hit surface and make them on surface, increase rods strength with Small ball) are all crucial operations in the making of a competition connecting rod.

Sample is available, Please feel free to [Contact](#) our skilled staff to get stock info, price, freight cost and many more.

Sample Packing Picture



Batch order packing picture -by air express

