

Brand: Hurricane
Engine: Toyota 2ZZ-GE 1.8L
Part Type: Connecting Rods
Center to Center Length: 138mm/5.433"
Big End Bore Diameter: 48mm/1.890"
Big End Width: 19.8mm/0.780"
Small End Bore Diameter: 20mm /0.787"
Small End Width: 18mm/0.709"
Beam Style: H-beam
Connecting Rod Bolt Diameter: 3/8"
Approximate Connecting Rod Weight: 448g/piece
Advertised Horsepower Rating: 600hp
Quantity: Sold as 4 pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Hurricane H BEAM Connecting Rods for Toyota 2ZZ-GE 1.8L

Hurricane H-Beam Connecting Rods for the Toyota 2ZZ-GE are designed for medium to high horsepower applications. These connecting rods are capable of 150 horsepower per rod. Each of these thick, heavy duty connecting rods are made from forgings 4340 steel. Hurricane H conrods are excellent for high-revving normally-aspirated, nitrous, as well as forced inductions with moderate to high boost levels. Build your 2ZZ-GE with Hurricane's H beam rods and experience the performance, strength, and reliability that professional race teams have relied in all venues of motorsports worldwide for nearly four decades. Per rod 100% machined on advanced CNC equipment to secure enough strength, fully stress relieved and shot peened for improved fatigue life, per rod's cap fitted high quality dowels to achieve bearing caps precisely aligned, small end installed bronze bushed for floating pins.



Connecting rod for toyota before we done includes:

[Toyota 4AGZE Conrods](#)

[Toyota MR2 3SGTE Conrods](#)

[Toyota 1KD 3.0L Conrods](#)

[Toyota/Scion 1NZFE Conrods](#)

[Toyota 1/2/3 UZFE Conrods](#)

[Toyota 1FZ-FE Conrods](#)

[Toyota 20R 22R 22RE REC Conrods](#)

[Toyota FRS Conrods](#)

FAQ:

Q: Do you offer OVERSIZED RODS ?

A: Yes , If the rods are larger than our forgings either in length or width , we can develop a new die to suit your requirements , or could be made from billet forgings . Oversized rods will be quoted based on used sample or detailed drawing or detailed dimensions , please feel free [contact us online or mail to us](#) directly .

Q: Which kinds of bolts you use for Toyota 2ZZ GE performance connecting rods?

A: We use Hurricane 3/8 connecting rods, price 3USD/PC, more details please check [Hurricane](#)

[Performance Replacement Connecting rods bolts Size: 3/8 x 1.600" inch](#)



1986 Toyota MR2 2ZZ-GE Engine Picture



Note: Picture from Pinterest.