


Ford EcoBoost 1.6L / Fiesta ST conrods Main Sizes

Brand: Hurricane	
Center to Center Length: 134mm/5.276"	
Big End Bore Diameter: 47mm/1.850"	
Big End Width: 20.8mm/0.819"	
Small End Bore Diameter: 21mm /0.827"	
Small End Width: 18.9mm /0.744"	
Beam Style: H-beam	

Ford Ecoboost 1.6 GTDi Connecting Rods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	450g
Advertised Horsepower Rating	550hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

Ford EcoBoost 1.6 16v Steel Connecting Rods Description

Hurricane is a performance connecting rods manufacturer located in China. Our factory equipped with Computer Controlled Numeric(CNC) production line. To check more of our production progress, please view our Youtube video: [How it's made: 4340 forged connecting rod with CNC machine](#)



Hurricane 1.6L EcoBoost forged conrods are designed to fits OEM standard sizes, No bearing tags. Those Ford EcoBoost 1.6 16v steel connecting rods incorporate a special doweled cap for specific cap-to-rod alignment and are profiled with extra clearance for stroker applications, They are a better and lighter replacement for your race engine applications.

Hurricane Speed And Performance specializes in the manufacture of custom connecting rods. All connecting rods are made on forgings to achieve that optimum strength and durability while reducing weight. Please see our [custom order form](#) for more details or [email our sales department](#).



This is a upgrade packing, filled with foam, and in this way, will keep every piece of connecting rods be safe during transit.



Ford Car Picture

