

## Nissan GT-R VR38 Forged Connecting Rods Main Sizes

Brand: Hurricane*	
Center to Center Length: 165mm/6.496"	
Big End Bore Diameter: 59mm/2.323"	
Big End Width: 22.71mm/0.894"	
Small End Bore Diameter: 23mm/0.906"	
Small End Width: 25.4mm/1.000"	
Beam Style: X-beam	

## R35 Nissan GTR VR38DETT Connecting Rods Features

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	xxx
Advertised Horsepower Rating	1000hp
Quantity	Sold as 6 pieces /set
Material	Forged 4340 steel
<b>Connecting Rod Finish</b>	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

## 4340 Steel

## Connecting Rods for Nissan GTR VR38 DETT Description

These Connecting Rod Set VR38DETT 165mm are ideal for today's high horsepower engines and specifically for demanding turbocharged, supercharged and big nitrous applications. Each R35 Nissan GTR VR38DETT connecting rod is machined from premium 4340 forged steel, CNC machining for superior tolerances, Dowel sleeves for perfect fit and accurate re-assembling, Shot Peening for improved fatigue life and Optimal balancing for weight matched sets of  $\pm 1$  gram. Hurricane performance connecting rods represent tough quality and are engineered for maximum power.



Note: Hurricane cut cap progress for R35 Nissan GTR VR38DETT connecting rods

**Fitment Information:** Fits for 2009-2019 Nissan GT-R 3.8L 24v V6 Twin Turbo VR38 DETT engines



We can also offer [Hurricane 3/8 1.6 inch bolts](#) to fits Connecting Rod Set VR38DETT 165mm, any interests or questions, please feel free to [contact Hurricane team](#) for further assistance.

**2017 Nissan GT-R (R35) 3.8 V6 Engine**



Note: Picture from Youtube.