


# BMW N54B30 X-beam Conrods Main Dimensions


Brand: Hurricane	
Center to Center Length: 145mm/5.709"	
Big End Bore Diameter: 53.6mm/2.110"	
Big End Width: 20.86mm/0.821"	
Small End Bore Diameter: 22mm /0.866"	
Small End Width: 20.86mm/0.821"	
Beam Style: X-beam	

## BMW N54B30 X-beam Conrods Features

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	xxx
Advertised Horsepower Rating	900HP
Quantity	Sold at 6 pieces per set
Material	Forged 4340 steel
<a href="#">Connecting Rod Finish</a>	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes, Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes, available
Custom design	Yes, accept

### Additional Description :

- 1). Per rod made from high tensile 4340 steel forgings .
- 2). MOQ : 80pcs per model .
- 3). 100% CNC machined , they can hold 900HP per cylinder .



4).They are fitting with standard 3/8 " [ARP2000 bolts.](#)

5). Polished and shot peened for better fatigue life .



6). Honed with SUNNEN honing machine for tight tolerance .

7).They can be designed and engineered to [various beam style](#) .



8) . Accept [Custom Connecting Rods](#) Order .

Please don't hesitate to [contact us](#) if you have any further question for this product .