


Chevy Small Block V8 Connecting Rods Main Sizes

Brand: Hurricane	
Center to Center Length: 160.02mm/6.300"	
Big End Bore Diameter: 56.512mm/2.225"	
Big End Width: 23.86mm/0.939"	
Small End Bore Diameter: 23.561mm /0.928"	
Small End Width: 26.95mm/1.061"	
Beam Style: H-beam	


Chevy Small Block V8 Connecting Rods Features

Connecting Rod Bolt Diameter	7/16 "
Approximate Connecting Rod Weight	xxx
Advertised Horsepower Rating	1000hp
Quantity	Sold as 8 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

Hurricane supply connecting rods since 2000, at present , Hurricane produces connecting rods for a wide range of high performance engine applications with various beam style . All Hurricane connecting rods are manufactured from high strength [aircraft 4340 chromoly steel material](#) , and each SBC 6.300" rod 100% CNC machined to meet high quality standard , shot peened and magnafluxed for added fatigue life.




Please kindly note, Hurricane can make custom connecting rods once drawing , used sample or detailed specifications provided . Please feel free [contact](#) us if you have any interest .




Hurricane Speed&Performance - Custom Connecting Rod Form

SPECIFY UNITS : _____ MM OR IN



<p>A. _____ Center to Center length/中心距</p> <p>C. _____ Pin End Bore/小孔</p> <p>E. _____ Big End Width/大端厚度</p> <p>G. _____ Beam Thickness/杆厚</p> <p>I. _____ BE Offset</p> <p>K. _____ Tang Position</p> <p>V. _____ Tang Depth/瓦槽深度</p> <p>U. _____ Tang Length/瓦槽长度</p> <p>O. _____ Piece/Set 支/组</p> <p>P. _____ Bolt Diameter(Inch) /螺栓规格</p> <p>R. _____ Bolt Length(Inch) 螺栓长度</p>	<p>B. _____ Big End Bore/大孔</p> <p>D. _____ Pin End Width/小端厚度</p> <p>F. _____ Overall BE Width/肩宽</p> <p>H. _____ Beam Width/杆宽</p> <p>S. _____ T1 Or T2 反瓦/正瓦</p> <p>J. _____ Tang Width/瓦槽宽度</p> <p>L. _____ Tang Position</p> <p>M. _____ H-beam, X-bea, I-beam/设计</p> <p>N. _____ Engine Model /发动机型号</p> <p>Q. _____ Piece (Quantity)/数量</p>
--	---



For shipping , Hurricane can offer air-express transportation (such as [TNT](#) , [UPS](#) , [DHL](#) , [Fedex](#) , CDEK ,

EMS etc) , sea transportation and train transportation , but the train transportation only suits for the customers located in Europe , some available cities attached for reference as below :

Country	City
Poland	Warsaw, Poland
Netherlands - Door	Netherlands , Rotterdam , Amsterdam
Hungary	Hungary
Czech Rep	Brno, Ostrava, Prague
Bulgaria	Sofia , Bulgaria
Romania	Bucharest, Constanta , Romania
UK	London, Manchester, Birmingham, Birmingham , Bristol, Glasgow, Felixstow, Aberdeen
Italy	Florence, Genoa, Milan, Naples, Como, Trieste, Venice
Sweden	Gothenburg , Malmo , Stockholm
Finland	Helsinki
Austria	Linz, Vienna
Hungary	Budapest
Latvia	Riga
Lithuania	Kaunas, Klaipeda, Panevezys, Siauliai, Vilnius
Belarus	Minsk
Estonia	Tallinn
Slovakia	Bratislava
Germany	Hamburg, Duisburg
Belgium	Antwerp, Brussel
France	Le Havre, Lille, Paris
Ireland	Cork, Dublin
North Ireland	Belfast
Luxembourg	Luxembourg
Romania	Bucharest
Swiss	Basel
Spain	Barcelona
Portugal	Lisboa , Leixoes(Porto)

Any further question for shipping , please feel free [contact](#) us .