

Brand: Hurricane
Engine: Harley-Davidson
Part Type: Connecting Rods
Center to Center Length: 194.82mm/7.670"
Big End Bore Diameter: 53.44mm/2.104"
Big End Width: 45.7mm/1.780"
Small End Bore Diameter: 23.55mm /0.927"
Small End Width: 26.88mm/1.058"
Beam Style: H-beam
Approximate Connecting Rod Weight:1240g/piece
Advertised Horsepower Rating: ~hp
Sold as: SET
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

Hurricane Speed&Performance has been manufacturing connecting rods since 2000. With years of hard-working, we finished various kinds of different rod length for Harley-Davidson engines, please [click here to view our Harley catalog](#). And they are highly recommended in motorcycle racing industry. All rods made from 4340 steel to ensure maximum strength and durability, Also bronze wrist pin bushings are fitted to each rod to increased wear resistance.



Those forged rods for Harley Davidson engine are made from 4340 steel forgings and finished on Computer numerical control production line. they appearance is very smooth, hard to see tool vestige. All hurricane connecting rods are shot blased and polished, will increase connecting rods strength, toughness and resistance to impact.





Hurricane 7.760" harley connecting rods weight is 1241kg per set.



Harley Davidson Picture with customer feedback



Re : Fedex tracking number: 7723 2031 8086  

发件人: [\[redacted\]](#) [\[添加到通讯录\]](#) [\[加入黑名单\]](#)

收件人: "illan"<illan@hurricane-rod.com.cn>

时 间: 2020-12-18 21:50:14 (星期五)

提示: 涉及金钱交易时, 请通过电话、短信等多个渠道联系对方并确认账号等信息。

Hi Illan

I received the connecting rods on 16/12 perfect shipment flawless packaging, really perfect, all I have to do is assemble for thousands of km. Just a little advice if you provide the crankpin with you will sell more.

A big thanks

Envoyé depuis mon mobile Huawei