

Brand: Hurricane  
Engine: VW VR6  
Part Type: Connecting Rods  
Center to Center Length: 164mm/6.457"  
Big End Bore Diameter: 56.80mm/2.236"  
Big End Width: 19.88mm/0.783"  
Small End Bore Diameter: 20.01mm /0.788"  
Small End Width: 19.90mm/0.783"  
Beam Style: H-beam  
Connecting Rod Bolt Diameter: 3/8", 5/16"  
Quantity :6pcs/set  
Approximate Connecting Rod Weight: 590,598g/piece  
Advertised Horsepower Rating: 1000hp  
Material: Forged 4340 steel  
Connecting Rod Finish: **Shot-peened, Polished**  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

## ChroMoly Connecting Rods for VW VR6 Description

These standard size H beam connecting Rod for VW VR6 engine , each rods are machined heat treated to HRC 34-38 ,polished and shot peened for a higher fatigue strength, magnafluxed to guarantee quality, pin ends bushed for a fully floating pin , quality dowel sleeves fitted fully to insure accurate re-assembling.





Hurricane H-beam steel connecting rods 164mm (6 pcs) will fits for VW Golf / Jetta - 2.8 2.9 3.2L R32 VR6 engines. except H beam design, we also offer I beam and X beam design for this model.

1. [VW 2.8L 2.9L 3.2L R32 Golf MK3 VR6 164X20 I beam Forged Connecting Rods](#)
2. [Volkswagen VR6 X-beam 4340 steel connecting rods](#)



These H-Beam style forged rods are available with rifle drilled design which can increases wrist pin longevity by providing additional lubrication.If you like this option on this rod ,please feel free [contact](#) us for your demands .

