

LONG ROD ACURA 5.967" Main Sizes

Brand: Hurricane *	
Center to Center Length: 151.56mm/5.967"	
Big End Bore Diameter: 48mm/1.890"	
Big End Width: 23.7mm/0.933"	
Small End Bore Diameter: 21mm /0.827"	
Small End Width: 23.7mm/0.933"	
Beam Style: H-beam	

Hurricane H-BEAM ROD for Honda B-series Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXXg
Advertised Horsepower Rating	900hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

Honda Acura B18 B20 5.967" Long Rod Description

All Hurricane H-beam connecting rods are forged from **certified 4340 chromoly steel**. Hurricane Speed and Performance connecting rods are subjected to extensive material testing. Another important design feature: If necessary, Hurricane H-beam connecting rods are manufactured from a 2 piece forging. This is

significant because it enhances the strength of the rod cap by orienting the "grain" of the metal with the direction of stress. The stress exerted on the connecting rod cap is perpendicular to the stress on the beam. Hurricane H- Beam connecting rods could be installed with ARP 2000 Capscrews. Sets are weight matched to +/- 1g. Sizing is performed on the unique system for a perfect housing bore. These are the perfect choice for engines up to 900 hp. Includes a set of four connecting rods. To use these long connecting rods in application, you will need to purchase a set of custom forged aftermarket pistons with a 0.827"/21mm wrist pin size.

Featured Hona B-Series rods here:

1. [Hurricane H-Beam Rod Honda Civic Si B16 B16A B16A2](#)
2. [Set of 4 Hurricane 4340 Chrome Moly Connecting Rods for HONDA/ACURA ACURA 1.8L LS/NON-VTEC,B18A/B](#)
3. [Hurricane H-Beam Rods Honda B18](#)
4. [Honda Acura Integra GSR 1.8 VTEC B18C H-beam forged connecting rod , 5.433" rod length](#)
5. [Honda B16 H beam 4340 steel connecting rods,136mm length,20mm pin](#)
6. [H beam 4340 steel connecting rods for Honda B18C GSR,137.998mm rod length,21mm pin](#)
7. [H beam 4340 steel Connecting rods set for Honda B18, 20mm pin hole](#)
8. [Hurricane Speed&Performance X Beam Rods Honda Integra LS CRV B18A B18B B20 5.394](#)



FAQ

A: What kind of package will you use at present?

B: Besides box with paper card, if necessary, new foam package will be provided

