

Honda L15A Connecting Rods Main Sizes

Brand: Hurricane	
Center to Center Length: 139mm/5.472"	
Big End Bore Diameter: 43.01mm/1.693"	
Big End Width: 17.83mm/0.702"	
Small End Bore Diameter: 17.98mm /0.708"	
Small End Width:17.83mm/0.702"	
Beam Style: H-beam	

Honda L15A Fit/Jazz Connecting Rods Features

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	XXX
Advertised Horsepower Rating	550hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes, Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes, available
Custom Design	Yes, accept

Honda L15A 139mm H beam Connecting Rods Description

All Hurricane connecting rods designed by CAD software before production and engineers made use of FEA (Finite Element Analysis) to determine high-stress points and implemented features for wear reducing and strength improved .



Same with other Hurricane rods, Honda L15A connecting rods are forged from 4340 (En24) steel too, and machined to H-beam shape for weight saving and higher strength . Each rod heat treated to HRC 34-38 and then shot peened for high fatigue life. Besides , all the small ends are bronze bushed for floating pins and big ends are fitted with high quality ARP fasteners with different specification bolts available. Also , each rod tapered on small ends to handle extreme engine loads and give increased clearance for fully boxed pistons.



Hurricane also produce H-beam shape connecting rods for [Honda L15A FIT/JAZZ](#) engines , welcome to send us [inquiry](#) if any interest .

Related product:

1. [Honda L15A Fit/Jazz 139mm X-beam Connecting Rods](#)
2. [High Performance Honda L15A rod set 4340 forged I-beam rods](#)