


Brand: Hurricane  
Engine: Chrysler RB 426 440 HEMI  
Part Type: Connecting Rods  
Center to Center Length: 174.24mm/6.860"  
Big End Bore Diameter: 63.5mm/2.500"  
Big End Width: 25.58mm/1.007"  
Small End Bore Diameter: 26.16mm /1.030"  
Small End Width: 25.4mm/1.250"  
Beam Style: H-beam  
Connecting Rod Bolt Diameter: 7/16"  
Approximate Connecting Rod Weight: 800g/piece  
Advertised Horsepower Rating: 1000hp  
Quantity: Sold as 8 pieces /set  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

1. Precision finished at [Hurricane Speed&Performance](#) on the newest and most modern machinery.
2. Engineered and processed from high strength 4340 chromoly steel forgings
3. Micro-polished and shot blasted not only improve fatigue life, but also leave a smooth and beautiful appearance.
4. Per rod's small end bushed for floating piston pins.
5. Weight matched sets within 2gram for optimal balancing .

#### **Process of finish connecting rod at Hurricane workshop**



**Hurricane connecting rods factory workshop**



Hurricane also offer Ford H beam connecting rods, including Small Block, Big Block, 351 WINDSOR and so on. Visit [Ford Rods Page](#) for sizes and general information. You may also find [FAQs](#) and [Video](#) pages helpful.