

Brand: Hurricane  
Engine: Vauxhall Opel C20LET/Z20LET/C20XE 2.0L  
Part Type: Connecting Rods  
Center to Center Length: 143mm/5.630"  
Big End Bore Diameter: 52mm/2.047"  
Big End Width: 26.3mm/1.035"  
Small End Bore Diameter: 21mm /0.827"  
Small End Width: 21.9mm/0.862"  
Beam Style: H-beam  
Connecting Rod Bolt Diameter: 3/8"  
Approximate Connecting Rod Weight: 575g/piece  
Advertised Horsepower Rating: 550hp  
Quantity: Sold as 4 pieces /set  
Material: Forged 4340 steel  
**Connecting Rod Finish:** Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes ,Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes ,available  
Custom design: Yes, accept

Hurricane connecting rods perfectly match **Vauxhall Opel C20LET/Z20LET/C20XE 2.0L** engine. Forged connecting rod Opel are fully machined and set balanced to + or - 1 gram. H beam design greatly increases strength and durability. All rods are shot blasted, micro-polished to improve fatigue life. bronze wrist pin bushings are fitted to each rod to increased wear resistance.

Below is Vauxhall Opel C20LET/Z20LET/C20XE 2.0L finished H-beam rods picture , except the high standard tolerance controled, the appearance looks very different with other rods in market . And they can hold about 600HP, it is a good choice for your high performance opel c20xe applications .



All the rods packaged well at Hurricane factory before shipping , here a Opel c20xe h-beam rods packing picture for your reference as below :



**Rifle Drilled (Also called Optional forced pin oiling)** or Logo printing service sold separately, please

[\*\*contact us\*\*](#) for assistance. Hurricane Speed and Performance also provide a wide range of sizes for the most popular engine types. You can [\*\*download our products catalog at this page\*\*](#).