
Toyota 22R 22RE I-beam Connecting Rods Main Sizes



Toyota22R 22RE I-beam Connecting Rods Features

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	585 gram
Advertised Horsepower Rating	800HP
Quantity	Sold as 4 pieces /set
Material	Forged 4340 Steel
Connecting Rod Finish	Polished and shot peened
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes, available
Custom design	Yes , accept

Hurricane specializes in Automotive Performance Parts for all kinds of racing applications , include Subaru EJ20/25, Honda B and K Series, Nissan Skyline, Mitsubishi 4G63, Toyota Series, VW/Audi , Opel C20XE, BMW M3S50, GM LS Series, Chevy small block , Chevy big block , Ford big block, Ford small block ,

Dodge426/440 and Pontiac 455 etc .

1). **Toyota 22R 22RE connecting rods** as a part of Hurricane racing rods, using a I-beam shape for extra rigidity , each sets are produced from SAE 4340 steel for superior strength at affordable prices .

2). Each set of rods is fully balanced and packaged in weight-matched sets end to end +/-1 gram .

3). Per rod is CNC-machined to remove all surface imperfections. They are 100 percent magnafluxinspected, checked for surface hardness, and then honed to final size with superior tight tolerances.

4). Each rod is shot-peened to achieve the ultimate in strength and durability.

5). Per rod featured fully , include drilled and chamfered wrist-pin oil holes on each rod for additional oiling, to prevent galling; deep, double-ribbed caps for greater strength at high rpm.

6). Dowel sleeves for perfect fit and accurate re-assembling.



Welcome to contact us if you are interested in this item .

Toyota R Engine



Note: Picture from Wikepedia.