


Toyota 4AGE X-beam Connecting Rods Main Sizes

Brand: Hurricane*	
Center to Center Length: 122.00mm/4.803"	
Big End Bore Diameter: 44.98mm/1.771"	
Big End Width: 21.82mm/0.859"	
Small End Bore Diameter: 19.99mm /0.787"	
Small End Width: 21.82mm/0.859"	
Beam Style: X-beam	

Toyota 4age high performance connecting rods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXX
Advertised Horsepower Rating	700hp
Quantity	Sold as 4 pieces per set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes, Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes, available
Custom design	Yes, accept

4AGE Forged X-beam Connecting Rods Description:

- 1).These Toyota 4age connecting rods forged from [4340 EN24 aircraft chrome Moly quality steel](#) material .
- 2). Designed and manufactured to X-beam for saving weight and superior strength and at economical price.
- 3). Per rod fully machined at Hurricane factory to meet high quality standard .
- 4). Shot Peening for improved fatigue life.
- 5). Dimensionally and magnaflux inspected to ensure extreme reliability .
- 6). Packed in balanced sets +/- 1 gram

4A-GE (16-valve) Applications:	AA63 Carina 1983.06-1985 (Japan only) AT160 Carina 1985-1988 (Japan only) AT171 Carina 1988-1992 (Japan only) AA63 Celica 1983-1985 AT160 Celica 1985-1989 AE82 Corolla saloon, FX 1984.10-1987 AE86 Corolla Levin 1983.05-1987 AE92 Corolla 1987-1993 AT141 Corona 1983.10-1985 (Japan only) AT160 Corona 1985-1988 (Japan only) AW11 MR2 1984.06-1989 AE82 Sprinter 1984.10-1987 (Japan only) AE86 Sprinter Trueno 1983.05-1987 (Japan only) AE92 Sprinter 1987-1992 (Japan only) AE82/AE92 Corolla GLi Twincam/Conquest RSi 1986-1993 (South Africa) Chevrolet Nova (based on Corolla AE82) Geo Prizm GSi (based on Toyota AE92 chassis) 1990-1992
4A-GE (20-valve) Fourth Generation "Silver Top" Applications:	AE101 Corolla Levin coupe 1991-1995 (Japan only) AE101 Sprinter Trueno coupe 1991-1995 (Japan only) AE101 Corolla Ceres hardtop 1992-1995 (Japan only) AE101 Sprinter Marino hardtop 1992-1995 (Japan only) AT210 Carina 1996-2001 (Japan only) AE101 Corolla 1991-2000 (Japan only) AE101 Sprinter 1991-2000 (Japan only)
4A-GE(20-Valve) Fifth Generation "Black Top" Applications	AE111 Corolla Levin coupe 1995-2000 (Japan only) AE111 Sprinter Trueno coupe 1995-2000 (Japan only) AE101 Corolla Ceres hardtop 1995-1998 (Japan only) AE101 Sprinter Marino hardtop 1995-1998 (Japan only) AE101G Corolla BZ touring wagon 1995-1999 (Japan) AE111 Corolla 1995-2000 (Japan only) AE111 Sprinter 1995-1999 (Japan only) AE111 Sprinter Carib 1997-2000 (Japan only) AE111 Corolla RSi and Rxi 1997-2002 (South Africa) AT210 Carina 1996-2001 (Japan only)

Hurricane CNC Workshop Picture



Hurricane produces connecting rods for a wide range of applications, include I-beam , H-beam , and X-beam styles , per rod can be made as specified request , dimensions and design included .



X-beam



H-beam



I-beam

If you can not find the connecting rod which you need on our website , please feel free send email to marketing@hurricane-rod.com.cn or leave message for us online.