


Honda L15A JAZZ 139mm X-beam Conrods Main Dimensions

Brand: Hurricane	
Center to Center Length: 139mm/5.472"	
Big End Bore Diameter: 43.01mm/1.693"	
Big End Width: 17.83mm/0.702"	
Small End Bore Diameter: 17.98mm /0.708"	
Small End Width:17.83mm/0.702"	
Beam Style: X-beam	

Honda L15A JAZZ 139mm X-beam Conrods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXX
Advertised Horsepower Rating	600hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Private Label	Yes, accept

Additional Description :

- 1). MOQ: 100pcs per model .
- 2). CNC Machined from premium 4340 forged steel forgings .



- 3). Each forging is X-rayed, sonic tested and magnafluxed.
- 4). Heat treated to HRC 34-38.
- 5). High quality dowels installed in cap for precision alignment.



6). Finished to withstand 600hp on 4cyl engines .

7). Custom Connecting Rods Sizes or design are acceptable.Welcome to [download and fill out the form](#) and mail to us directly via marketing@hurricane-rod.com.cn .

8). Fits for standard ARP 2000 bolts.

[Hurricane Connecting Rods Bolts](#) vs Genuine ARP2000 Bolts Picture



Hurricane bolts picture



PS: Hurricane connecting rods bolts can be provided separately , please confirm details with us before ordering .

Honda L15A FIT/JAZZ H-beam and I-beam connecting rods are available too , welcome to send us [inquiry](#) if any interest .