


Honda h22 X beam Steel Connecting Rods Main Sizes

Brand: Hurricane	
Center to Center Length: 143.15mm/5.636"	
Big End Bore Diameter: 51mm/2.008"	
Big End Width: 23.75mm/0.935"	
Small End Bore Diameter: 22mm /0.866"	
Small End Width: 22mm/0.866"	
Beam Style: X-beam	

Connecting Rods for Honda H22 2.2L Engine Features

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	XXXg
Advertised Horsepower Rating	650hp
Quantity	Sold as 4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

4340 Connecting Rods Honda Prelude & Accord H22 Description

Connecting Rods for Honda H22 2.2L Engine fitted with Doweled Cap for Superior Alignment and Silicone Bronze Pin End Bushes for reliability. honda h22 X beam steel connecting rods are also shot peened and polished for reduced fatigue, 100% CNC Profiling & 100% CNC Drilling & Tapping, these con-rods are made of the highest quality and built to be abused.

Hurricane Honda Prelude H22 forged steel connecting rods Application

Make	Vehicle Model	Engine
Honda / Acura	4th gen Prelude Si VTEC (2WS BB4 & 4WS BB1) 5th gen Prelude SiR (2WS BB6 & 4WS BB8) 5th gen Prelude Type-S and SiR S-Spec (BB6) 6th gen Accord/Torneo Euro-R (CL1) 5th gen Accord SiR Sedan (CD6) 5th gen Accord SiR Coupe (CD8) 5th gen Accord SiR Wagon (CF2)	H22A
Honda / Acura	4th gen Prelude VTEC (BB1) 4th gen Prelude SR-V (BB1) 4th gen VTi-R (BB1)	H22A1
Honda / Acura	Prelude 2.2i VTEC (BB1)	H22A2
Honda / Acura	Honda Accord Coupe SiR	H22A3
Honda / Acura	5th gen Prelude Base and Type-SH (BB6) 5th gen Prelude Base, Type-SH, and SE (BB6)	H22A4
Honda / Acura	1997-1998 Prelude 2.2VTi/VTi-S (2WS BB6 & 4WS BB8)	H22A5
Honda / Acura	1998-2002 Accord Type-R (CH1)	H22A7
Honda / Acura	1999-2001 Prelude 2.2VTi/VTi-S (2WS BB6 & 4WS BB8)	H22A8

OTHER CUSTOMERS ALSO BOUGHT

1. [*Honda Prelude H22 VTEC 2.2L 5.636" I beam connecting rods*](#)
2. [*Forged H beam Honda Prelude H22 connecting rods set, 22mm pin hole*](#)
3. [*Hurricane Performance Replacement Connecting rods bolts Size: 3/8 x 1.600" inch*](#)

Honda Prelude H22 Engine



Note: Picture from Pinterest.