

Brand: Hurricane
Engine: Nissan RB30
Part Type: Connecting Rods
Center to Center Length: 152.4mm/6.000"
Big End Bore Diameter: 53mm/2.087"
Big End Width: 21.76mm/0.857"
Small End Bore Diameter: 21mm /0.827"
Small End Width: 21.76mm/0.857"
Beam Style: I-beam
Connecting Rod Bolt Diameter: 3/8 "
Approximate Connecting Rod Weight: 550g/piece
Advertised Horsepower Rating: 1200hp
Quantity: Sold as 6pieces /set
Material: Forged 4340 steel
Connecting Rod Finish: Shot-peened, Polished
Pin: Bronze wrist pin bushings
Wrist Pin Style: Floating
Cap Retention Style: Cap screw
Weight Matched Set: Yes ,Balanced +/- 1g
Magnafluxed: Yes
Private Label: Yes ,available
Custom design: Yes, accept

I-beam Connecting Rods For Nissan RB30 Description

Hurricane's I-beam connecting rods are made from 4340 steel, x-rayed, magnafluxed, sonic tested, and shot-peened to ensure optimal quality and strength. They are packaged in weight-matched sets that are within +/- 1 gram end to end. The Hurricane Speed and Performance connecting rods for the RB30 undergo a forging process in China, produce with fully CNC machine, and ship for customers directly, final they can sell or use at once; making for a cheaper rod that is durable and precise. Hurricane's rb30 rods will choose ARP 3/8" 2000 rod bolts for extensive ability to handle power and boost.



Suit: Nissan / Infiniti

Vehicle Group: Skyline R31 85-91, Patrol 87-97

Engine: RB30 & RB30ET



I Beam connecting rods are the ultimate high strength direct fit con rod for all Nissan RB30 engines, these con rods are designed to handle the most extreme punishment from the angriest RB engines, trick your car out now!

Related Products

[4340 Forged Steel 6.000" H-beam Connecting rods set for Nissan RB30](#)

