
Honda D16Z6 Connecting Rods Main Sizes




Honda D16Z6 Connecting Rods Features

Connecting Rod Bolt Diameter	3/8"	
Approximate Connecting Rod Weight	XXX	
Advertised Horsepower Rating	750hp	
Quantity	Sold as 4 pieces /set	
Material	Forged 4340 steel	
Connecting Rod Finish	Shot-peened, Polished	
Pin	Bronze wrist pin bushings	
Wrist Pin Style	Floating	
Cap Retention Style	Cap screw	
Weight Matched Set	Yes ,Balanced +/- 1g	
Magnafluxed	Yes	
Private Label	Yes ,available	
Custom design	Yes, accept	

Honda D16Z6 connecting rods used a I-beam shape for extra rigidity ; each sets are produced from SAE 4340 steel for superior strength at affordable prices ; each rod X-rayed, sonic-tested and magna-fluxed for greater strength ; Per rod polished and shot peened to increase fatigue life .

Hurricane connecting rods production process



Hurricane can produce connecting rods based on used sample and detailed specs , if we OEM your style of connecting rods , here are some steps for your reference as below :

1) Hurricane received the detailed drawing or used sample , then making quote details .

2) if you agree our quote , then we design drawing .

3) each other confirm the drawing and deal details .

4) all confirm finished, 30% deposit required, then we make sample for you to test if necessary.

5) Balance payment before shipping , then we arrange shipping via your forwarder or our forwarder i n time once we received the balance payment .

If the detailed drawing or used sample is unavailable , you can <u>click this link</u> to send the detailed d imensions to us for checking .

Here are some connecting rods fixtures for your reference as below :

1) Beam Shape : Hurricane Connecting Rod Features - Various Beam Designs

2) Big End Design : Hurricane Connecting Rods Big End Design

- 3) Shoulder Design : <u>Hurricane Connecting Rod Shoulder Design</u>
- 4) Pin End Design : Hurricane Connecting Rods Pin End Design

Please don't hesitate to contact us if you have any further question . mail to **marketing@hurricanerod.com.cn**.