Ford 289/302/5.0L Connecting Rods Main Sizes

Brand: Hurricane	Sk Bare	SE Width : 26.92mm
Center to Center Length: 137.16mm/5.400"		
Big End Bore Diameter: 56.52mm/2.250"		
Big End Width: 21.11mm/0.831"	137	
Small End Bore Diameter: 23.55mm /0.927"	C/C Length:	
Small End Width: 26.92mm/1.060"		
Beam Style: I-beam	BE Wi	dth : 21.11mm

Ford 289/302/5.0L Connecting Rods Features

Connecting Rod Bolt Diameter	7/16"	
Approximate Connecting Rod Weight	xxx	
Advertised Horsepower Rating	1000hp	
Quantity	Sold as 8 pieces /set	
Material	Forged 4340 steel	
Connecting Rod Finish	Shot-peened, Polished	
Pin	Bronze wrist pin bushings	
Wrist Pin Style	Floating	
Cap Retention Style	Cap screw	
Weight Matched Set	Yes ,Balanced +/- 1g	
Magnafluxed	Yes	
Private Label	Yes ,available	
Custom design	Yes, accept	

Ford 289/302/5.0L Connecting Rods Description

These 5.400" I-beam forged connecting rods made for high performance Ford 289/302/5.0L engines, same with the other 4340 rods at Hurricane factory, all these rods are 100% CNC machined, finished with I-beam **beam style** for extra rigidity to provide good tensile strength and handle higher compressive loads.



And featured with bronze wrist pin bushings, per rod connected rightly by quality dowel sleeves , it is easy to achieve accurate re-assembling.



For more technical question or inquiry for this connecting rod , please feel free <u>contact</u>our experienced staff .