

Brand: Hurricane  
Engine: VW/AUDI 2.0L ABF/ABA/AAD/2E  
Part Type: Connecting Rods  
Center to Center Length: 159mm/6.260"  
Big End Bore Diameter: 50.6mm /1.992"  
Big End Width: 24.9mm/0.9803"  
Small End Bore Diameter: 20mm/0.787"  
Small End Width: 24.9mm/0.980"  
Beam Style: I-beam  
Connecting Rod Bolt Diameter: 3/8 "  
Approximate Connecting Rod Weight: 585g/piece  
Advertised Horsepower Rating: 800hp  
Quantity: Sold as 4 pieces per set  
Material: Forged 4340 steel  
Connecting Rod Finish: Shot-peened, Polished  
Pin: Bronze wrist pin bushings  
Wrist Pin Style: Floating  
Cap Retention Style: Cap screw  
Weight Matched Set: Yes, Balanced +/- 1g  
Magnafluxed: Yes  
Private Label: Yes, available  
Custom design: Yes, accept

## Audi VW 2.0L 159x20mm ABA ABF connecting rods Description

Audi/VW connecting rods are very popular at the market, Hurricane I-Beam VW/Audi 2.0L 159mm connecting rods are made from 1-piece chromoly steel forging to ensure maximum strength and durability. All Hurricane connecting rod are burnished, with this progress, the rod appearance looks more beautiful and shinny. Micro-polishing treatments can also enhance a rod's durability while leaving a great-looking appearance.

Our Volkswagen 159mm forged 4340 steel conrods are with special I beam design, if you need other I beam design, we can still offer, please kindly check more designs picture at our News Page:

[Hurricane Connecting Rod Features - Various Beam Designs](#)



Audi VW 2.0L I beam connecting rods with Normal I beam design, please check below picture and [VW 2.0L ABA 159mm forged I beam connecting rod, 6.260 inch Length](#)



Hurricane factory also supply 5/16, 3/8 and 7/16 race spec replacement bolts, [Hurricane bolts](#) PSI could reach 211,000 which is close to ARP2000.







Please feel free [email](#) us if you are interested in our connecting rods and replacement bolts.