


## Mazda Miata Connecting Rods Main Sizes

Brand: Hurricane*	
Center to Center Length: 133mm/5.236"	
Big End Bore Diameter: 48mm/1.890"	
Big End Width: 21.84mm/0.86"	
Small End Bore Diameter: 20mm/0.787"	
Small End Width: 21.84mm/0.86"	
Beam Style: I-beam	

## Mazda MX5 1.6 16v Miata 1.8 Conrods Features

Connecting Rod Bolt Diameter	3/8"
Approximate Connecting Rod Weight	XXXg
Advertised Horsepower Rating	800hp
Quantity	Sold as 4 pieces /set
Material	<a href="#">Forged 4340 steel</a>
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes ,Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

## Buy Mazda Miata 323 1.6 1.8 B BP I Beam Rods Description

#1, Forged SAE 4340 Chrome Moly Steel for the highest strength and durability, dedicated for Racing.

#2, Fully shot peened and Shot Blasted to relieve stress. You can check the following News links to know

more details.

[What is shot peening?](#)

[Connecting rods Shot Peening and Mirco-Polishing, Special A-level appearance](#)

#3, All big and small ends are honed by SUNNEN honing machine.



#4, Dimensionally Inspected and End-to-end balanced in sets +/- 1g

#5, I beam rods can handle high rpm tension forces well.

Except I beam, Hurricane also offer H beam design for Mazda MX5 BP BP-ZE B6 connecting rods, For more information, Please check our product page at: [Hurricane H-Beam Rods Mazda Miata BP 1.8L B6 1.6L 5.236](#)

If you do not find the conrods you need through our website or if you have any questions about our products, please feel free to [leave your concern to hurricane team](#). Our skilled staff are looking forward to hear from you and ready for help.

## I-Beam Forged Connecting Rods for Mazda Miata BP FAQs

Q: What is your connecting rod tolerance?

A: Center to center length: +/- 0.05mm; Big end bore:+ 0.013mm; Small end bore:+ 0.005mm; Big End width: +/-0.02mm;Pin End width: +/-0.05mm; No note tolerance:+/-0.15mm

Q: Can I order a single connecting rod as sample to check quality first before cooperation?

A: Yes, Of course. Please [leave us message](#) with which engine model and beam you are interested.

Q: How to connect cap with rods?

A: We use precision alignment sleeves dowel. material:40Cr, HRC40-42

## MX5 BP BP-ZE B6 Connecting Rods Package





**Note: Shipping by Air-express ( Neutral boxes plus Carton) express. (Neutral boxes plus Iron)**

**Note: Shipping by Sea-**