

Porsche 944 Custom Connecting Rods Main Sizes

Brand: Hurricane*	
Center to Center Length: 150.01mm/5.906"	
Big End Bore Diameter: 55.01mm/2.165"	
Big End Width: 28.75mm/1.132"	
Small End Bore Diameter: 24.00mm /0.945"	
Small End Width: 25.40mm/1.000"	
Beam Style: H-beam	

Porsche 944 Custom Connecting Rods More Details

Connecting Rod Bolt Diameter	3/8 "
Approximate Connecting Rod Weight	~
Advertised Horsepower Rating	600hp
Package	4 pieces /set
Material	Forged 4340 steel
Connecting Rod Finish	Shot-peened, Polished
Pin	Bronze wrist pin bushings
Wrist Pin Style	Floating
Cap Retention Style	Cap screw
Weight Matched Set	Yes Balanced +/- 1g
Magnafluxed	Yes
Private Label	Yes ,available
Custom design	Yes, accept

Steel Connecting Rods for Porsche 944 Features

1. H-BEAM SHAPE

H-Beam design providing extended rigidity under vertical load. The best selling option when it comes to forged connecting rods.



2. Custom connecting rods Material: 4340 forged steel/40CrNiMoA/EN24. Heat treatment: HRC34-38 with temperature:860°C~880°C

Chemical Composition(%)												
C	SI	Mn	P	S	W	Ni	Cr	Cu	Mo	V	Tl	Al
0.4	0.28	0.72	0.014	0.009	0.01	1.71	0.75	0.09	0.22	0.01	0.01	0.009



This is a std custom connecting rods for Prosche. If you need custom yousel rods, please kindly finish "[Hurricane Client Custom Form](#)" online.

Custom porsche rods, such as:

Engine Series	Length	BE bore	BE width	PE bore
944 & 944 turbo	5.906"	2.165"	1.132"	0.945"
928	5.906"	2.165"	0.856"	0.945"
911 2.0-2.2L	5.118"	2.401"	0.856"	0.866"
911 2.4-2.7L	5.031"	2.205"	0.931"	0.866"
911 3.0L	5.031"	2.205	0.856"	0.866"
911 3.2-3.3-3.6-3.8L	5.000"	2.283"	0.856"	0.905"
993	5.000"	2.283"	0.743"	0.905"
996	5.710"	2.205"	0.795"	0.866"
924	5.670"	2.032"	1.098"	0.945"
914 1.7-1.8L	5.000"	2.276"	1.011	0.945"
914 2.0L	5.160"	2.079"	1.011"	0.945"



Note: Picture from Autotrader, Inc